


CATALOGO CUSCINETTI SERIE NN



Questi cuscinetti nella versione standard hanno il foro conico (cono 1:12)



Code	Series	Shaft Dimension				Load rating		Limiting speed
		mm	d	D	B	dyn. C	stat. C ₀	
performance data								
FAG	FAG	mm	d	D	B	kN		min ⁻¹
NN30/500ASK.M.SP	NN30ASK.M.SP	500	500	720	167	2650	5850	1300
NN3096ASK.M.SP	NN30ASK.M.SP	480	480	700	165	2700	5850	1300
NN3092ASK.M.SP	NN30ASK.M.SP	460	460	680	163	2600	5400	1400
NN3088ASK.M.SP	NN30ASK.M.SP	440	440	650	157	2450	5100	1400
NN3084ASK.M.SP	NN30ASK.M.SP	420	420	620	150	2120	4500	1500
NN3080ASK.M.SP	NN30ASK.M.SP	400	400	600	148	2160	4500	1500
NN3076ASK.M.SP	NN30ASK.M.SP	380	380	560	135	1700	3450	1600
NN3072ASK.M.SP	NN30ASK.M.SP	360	360	540	134	1660	3350	1700
NN3068ASK.M.SP	NN30ASK.M.SP	340	340	520	133	1630	3250	1700
NN3064ASK.M.SP	NN30ASK.M.SP	320	320	480	121	1320	2600	1900
NN3060ASK.M.SP	NN30ASK.M.SP	300	300	460	118	1270	2400	1900
NN3056ASK.M.SP	NN30ASK.M.SP	280	280	420	106	1080	2080	2200
NN3052ASK.M.SP	NN30ASK.M.SP	260	260	400	104	1060	2000	2400
NN3048ASK.M.SP	NN30ASK.M.SP	240	240	360	92	850	1560	2600
NN3044ASK.M.SP	NN30ASK.M.SP	220	220	340	90	800	1460	2800
NN3040ASK.M.SP	NN30ASK.M.SP	200	200	310	82	655	1200	3000
NNC4944V.C3	NNC49V	220	220	300	80	680	1600	800
NN3038ASK.M.SP	NN30ASK.M.SP	190	190	290	75	585	1040	3200
NN3036ASK.M.SP	NN30ASK.M.SP	180	180	280	74	570	1000	3400

NN3034ASK.M.SP	NN30ASK.M.SP	170	170	260	67	450	800	3600
NN3032ASK.M.SP	NN30ASK.M.SP	160	160	240	60	375	670	3800
NNC4930V.C3	NNC49V	150	150	210	60	380	850	1300
NN3030ASK.M.SP	NN30ASK.M.SP	150	150	225	56	335	585	4000
NN3028ASK.M.SP	NN30ASK.M.SP	140	140	210	53	300	520	4300
NN3026ASK.M.SP	NN30ASK.M.SP	130	130	200	52	290	500	4500
NNC4928V.C3	NNC49V	140	140	190	50	265	570	1400
NNC4926V.C3	NNC49V	130	130	180	50	255	530	1600
NN3024ASK.M.SP	NN30ASK.M.SP	120	120	180	46	232	390	5000
NN3022ASK.M.SP	NN30ASK.M.SP	110	110	170	45	220	360	5300
NN3021ASK.M.SP	NN30ASK.M.SP	105	105	160	41	190	310	5600
NN3018ASK.M.SP	NN30ASK.M.SP	90	90	140	37	140	224	6700
NN3020ASK.M.SP	NN30ASK.M.SP	100	100	150	37	146	245	6300
NN3019ASK.M.SP	NN30ASK.M.SP	95	95	145	37	143	236	6300
NN3017ASK.M.SP	NN30ASK.M.SP	85	85	130	34	125	200	7000
NN3016ASK.M.SP	NN30ASK.M.SP	80	80	125	34	120	186	7500
NN3014ASK.M.SP	NN30ASK.M.SP	70	70	110	30	98	150	8500
NN3015ASK.M.SP	NN30ASK.M.SP	75	75	115	30	100	156	8000
NN3011ASK.M.SP	NN30ASK.M.SP	55	55	90	26	72	100	11000
NN3013ASK.M.SP	NN30ASK.M.SP	65	65	100	26	76.5	116	9500
NN3012ASK.M.SP	NN30ASK.M.SP	60	60	95	26	75	110	10000
NN3010ASK.M.SP	NN30ASK.M.SP	50	50	80	23	57	80	13000
NN3009ASK.M.SP	NN30ASK.M.SP	45	45	75	23	54	72	14000
NN3008ASK.M.SP	NN30ASK.M.SP	40	40	68	21	45	58.5	15000
NN3007ASK.M.SP	NN30ASK.M.SP	35	35	62	20	35.5	44	17000
NN3006ASK.M.SP	NN30ASK.M.SP	30	30	55	19	29	34	19000

